

THE GROUP SUPPORTIVE THERAPY MODEL AND DISASTER PREPAREDNESS TRAINING IN IMPROVING THE PREPAREDNESS OF SCHOOL COMMUNITY TOWARD DISASTER IN WEST SUMATERA

Renidayati, Zolla Amely Ilda, Reflita

Padang Health Polytechnic Ministry of Health, Department of Nursing

Jalan Simpang Pondok Kopi, Siteba, Padang

email: renidayati72@gmail.com

ABSTRACT

West Sumatra gets the fifth ranks in the top disaster-prone province in Indonesia. The level of disaster preparedness in the school environment is at the lowest position compared to the preparedness in the community. This study aimed to implement the Model Group Supportive Therapy and Disaster Preparedness Training to improve the school community's preparedness for disasters in West Sumatra. The research design used "Quasi experimental pre-post test without control group". It was carried out in four public elementary schools in Pariaman and Padang with 166 respondents taken by purposive sampling. The results of the first stage of the study showed an increase in preparedness to face potential disasters in students before and after being given the Model Group Supportive Therapy Model and Disaster Preparedness Training. There was an increase in preparedness to face potential disasters by 23,614 students. The Group Supportive Therapy model and disaster preparedness training program are effective in increasing school preparedness against potential disasters by 62.71%. It is recommended to the Education Office in West Sumatra that elementary school communities receive Model Group Supportive Therapy training and Disaster Preparedness School Training. The completion of the Model Group Supportive Therapy module and disaster preparedness training program needs to be carried out as one of the interventions in an effort to increase school community preparedness against potential earthquake disasters and the tsunami in West Sumatra

Keywords: Group Supportive Therapy-Disaster Preparedness School Training-Student School Community.

Introduction

The National Disaster Management Agency reported that as of the end of August 2020, 1,724 natural disasters had occurred in Indonesia. West Sumatra ranks in the top five as a province with a disaster-prone area in Indonesia., (BNPB, 2020). This incident had a major impact on various sectors, including the education sector (Momeni, 2020). The results of the study (Aprilin, Haksama, & Makhudi, 2018) stated that the level of preparedness for disasters in the school environment was at the lowest position compared to preparedness in the community setting.

The high potential for the school community to be exposed to disaster threats and the possible impact of damage is necessary to increase understanding of disaster risk so that they can know how to respond in dealing with disaster situations (BNPB, 2018). One of the efforts to improve disaster preparedness is through capacity building of the school community consisting of students, teachers and other school components. Improving school community preparedness can be done through disaster safe school training which is strengthened by the development of the Group Supportive therapy model for the school community (Stafford, Schonfeld, Keselman, Ventevegel, & Stewart, 2019).

Group Supportive therapy carried out in the school community is a group technique and

process in creating a therapeutic relationship between therapists and the school community consisting of students, teachers, school principals, and school committees in implementing five preparedness parameters, namely knowledge and attitudes, disaster warning systems, response plans, emergencies, policies and guidelines, and resource mobilization in schools (Herdiana, 2019).

Data from the Education Office of Padang Pariaman Regency in 2020 recorded 24 elementary schools located in Padang Pariaman and in Padang City there were 348 elementary schools and 76 elementary schools located on the coast of Sumatra. There has been no form of effort to increase community resilience through the development and application of the Group Supportive therapy model and the Disaster Preparedness School training program carried out in the school community on the coast of West Sumatra. The research was conducted in line with the 2017-2045 National Research Master Plan on Disaster. At the same time as institutional strengthening in Poltekkes Kemenkes Padang to become the Center for Excellence in Science and Technology (PUI) for health-based disaster management and local wisdom. This is the background for the need for implementing Model Group Supportive therapy and training for Disaster Preparedness Schools based on local wisdom in increasing school community preparedness to face disasters in the Coastal area of West Sumatra.

Methods

The study used a quantitative research approach with "Quasi Experimental pre and post test with control group" in increasing school preparedness to face disasters for school-age children, in the coastal area of West Sumatra. This research was carried out in four public elementary schools in Pariaman and Padang whose schools are located in the coastal areas of Padang and Pariaman. Phase I research time (February-November 2021). The population in this study were all elementary school students in 4 (four) public elementary schools in Pariaman City, Padang Pariaman Regency and Padang City, totaling 671 people. The sampling technique was purposive sampling. (Lemeshow, Hosmer, Klar & Lwanga, 1997). The number of samples in the study 166 respondents consisting of students in Pariaman City and Padang Pariaman Regency 83 people and 83 students on the coast of Padang Beach. Data was collected by means of interviews and questionnaires. The research instrument uses the Widyatun, et al (LIPI, 2008:10) instrument to measure the school community's preparedness for the parameters of knowledge and attitudes (KAP), action, emergency response plans (RTD), disaster warning systems (PB), and resource mobilization (MSD).

Results And Discussion

Table 1. Characteristics of Respondents by (Gender and Class) at SDN West Sumatra in2021

Characteristics	Intervention Group (GST+Training)N= 83		Intervention Group (Training)N =83		Pvalue
	f	%	f	%	
Gender					
a. Male	46	55,4	29	34,9	0.13
b. Woman	37	44,6	54	65,1	
Class	f	%	f	%	
a. V	50	60,2	36	43,4	0,43
b. VI	33	39,8	47	56,6	

Based on table 1, more than half (55.4%) of the respondents were male in the group that received the intervention of the Group Supportive therapy model and the disaster

preparedness training program and more than half (65.1%) of the female respondents in the group that received the disaster preparedness training program. More than half (60.2%) of the respondents were in class V in the group given the ModelGroup Supportive therapy and disaster preparedness training program. In the group that was given disaster preparedness training, 56.6% were in class VI.

Table 2. Characteristics of Respondents by Age at SDN West Sumatra in 2021

Characteristics	Group Type	f	Mean	SD	Min - Maks	P Value
Age	GST+P	83	11,24	0,674	10-12	0,149
	Training	83	11.14	0,751	10-13	

Table 2 shows that the average age of respondents who received the Model Group Supportive therapy and disaster preparedness training program in school preparedness was 11.24 years with a standard deviation of 0.674 with the youngest age being 10 years and the oldest 12 years. Respondents who only received disaster preparedness training programs in school preparedness with an average age of 11.14 years with a standard deviation of 0.751 with the youngest age being 10 years and the oldest being 13 years old.

Knowledge and attitudes, actions, disaster warning systems, policies, guidelines and disaster emergency response plans, and resource mobilization and school preparedness for disasters

Table 3. Analysis of Respondents' Scores based on Knowledge and attitudes, actions, disaster warning systems, policies, guidelines and disaster emergency response plans, and resource mobilization and school preparedness to face disasters Prior to Intervention at SDN West Sumatra in 2021

Ability	Group Type	Mean	SD	Min- max	f	Pvalue
Knowledge and Attitude	GST+P	4.76	1.007	2-7	83	0.202
	Training	4.87	0.908	2-5	83	
Action	GST+P	3.35	0.706	2-5	83	0.874
	Training	3.34	0,701	2-5	83	
Disaster Warning System	GST+P	2.02	0.765	1-4	83	0.885
	Training	2.16	0,961	1-4	83	
Guidance Policy And Disaster Response plan	GST+P	2.14	0.646	1-3	83	0.196
	Training	2.13	0.546	1-3	83	
Resource Mobilization	GST+P	1.76	0.554	1-3	83	0.196
	Training	1.75	0.622	1-4	83	
Disaster Preparedness	GSP+P	14.04	1.811	10-19	83	0,391
	Training	14.20	1.606	9-16	83	

Based on Table 3, it is known that the average score of respondents' knowledge and attitudes about disaster preparedness before intervention is 4.76 The lowest score 2, the highest score 7 in the group that received the Group Supportive therapy model and disaster preparedness training program. In the group that was only given disaster preparedness training, the average score of respondents' knowledge about disaster preparedness was 4.87, the lowest score was 2, the highest score was 5. The knowledge equality test between the two groups before the intervention was equivalent, namely > 0.05 .

The average respondent's actions in disaster preparedness were 3.35 with the lowest value, the lowest 2, the highest value, 5 in the group that received the Model Group Supportive therapy and disaster preparedness training program. And respondents who only received the disaster preparedness training program the average was 3.34 with the lowest score of 2 and the highest score of 5. The average respondent's disaster warning system in disaster preparedness was 2.02 with the lowest score of 1, the highest score of 4 in the group receiving the Model Group Supportive therapy and standby training program. And the average disaster warning of respondents who only received a disaster preparedness training program was 2.16 with the lowest score of 1 and the highest score 4.

The average of the Disaster Response Policy Guidelines and plans for respondents in disaster preparedness was 2.14 with the lowest score of 1 being the highest 3 in the group receiving the Model Group Supportive therapy and program disaster preparedness training. And the mobilization score of respondents who only received a disaster preparedness training program was 2.13 with the lowest score of 1 and the highest score of 3. The average mobilization of respondents in disaster preparedness was 1.76 with the lowest score of 1 being the highest 3 in the group receiving the Model Group Supportive therapy and disaster preparedness training program. And the mobilization score of respondents who only received a disaster preparedness training program with the lowest score of 1 and the highest score of 3. The average score of disaster preparedness was 14.04 with the lowest score of 10 and the highest score of 19 in the group receiving the Model Group Supportive therapy and disaster preparedness training program. And respondents who only received the disaster preparedness training program, the average score of disaster preparedness was 14.20 with the lowest score of 9 and the highest score of 16.

Table 4. Changes in disaster preparedness Respondents Before and After Model Group Supportive therapy and disaster preparedness training programs at SDN West Sumatra 2021

Group	Disaster Preparedness	f	Mean	SD	SE	P Value
SGT+P	Before	83	14.04	1.811	0.199	0,000
	After	83	37.65	1.152	0.126	
	Difference		23.614			
Training	Before	83	14.20	1.606	0.176	0,000
	After	83	15.60	1.489	0.163	
	Difference		1.398			
Group	Knowledge and attitude Facing Disaster	f	Mean	SD	SE	P Value
SGT+P	Before	83	4.76	1.007	0.111	0,000
	After	83	15.08	0.736	0.081	
	Selisih		10.325			
Training	Before	83	4.87	0.908	0.100	0.129
	After	83	5.07	1.314	0.144	
	Difference		0.205			
Group	Actions for Disasters	f	Mean	SD	SE	P Value
SGT+P	Before	83	3.35	0.706	0.077	0,000
	After	83	7.70	0.487	0.053	

	Difference		4.349			
Training	Before	83	3.34	0.720	0.079	0.000
	After	83	3.96	0.740	0.081	
	Difference		0.627			
Group	Disaster Warning System	f	Mean	SD	SE	P Value
SGT+P	Before	83	2.02	0.765	0.084	0,000
	After	83	4.46	0.501	0.055	
	Selisih		2.434			
Training	Before	83	1,95	0.707	0.078	0.040
	After	83	2.16	0.582	0.064	
	Difference		0.205			
Group	Guidance Policy And Disaster Response plan	f	Mean	SD	SE	P Value
SGT+P	Before	83	2.14	0.646	0.071	0,000
	After	83	4.73	0.444	0.049	
	Selisih		2.590			
Training	Before	83	2.14	0.646	0.071	0,014
	After	83	2.39	0.581	0.064	
	Difference		0,241			
Group	Resource Mobilization in preparedness	f	Mean	SD	SE	P Value
SGT+P	Before	83	1.76	0.554	0.061	0,000
	After	83	5.67	0.497	0.055	
	Selisih		3.916			
Training	Before	83	1.75	0.622	0.068	0,051
	After	83	2.04	0.454	0.050	
	Difference		0.289			

Table 4. shows that the average disaster preparedness in the group given the Group Supportive therapy model and the disaster preparedness training program before the intervention was 14.02 with a standard deviation of 1.811 and after being given the intervention the average disaster preparedness was 37.65 with a standard deviation of 1.152. The results of statistical tests showed that there was a significant increase in respondents' preparedness to face disasters before and after being given Model Group Supportive therapy and disaster preparedness training programs with p value = 0.000 (P Value <0.05).

Table 5. Differences in disaster preparedness of respondents after the intervention of the Group Supportive therapy model and disaster preparedness training program at SDN West Sumatra in 2021

Variabel	Group	f	Mean	SD	SE	PV
Preparedness (Post Test)	SHG+P	83	37,65	1,152	0,126	0,000
	Training	83	15,60	1.489	0.163	
	Difference		22,65			

Table 5 explains that the preparedness of respondents who received the Group Supportive therapy model and the disaster preparedness training program after the intervention

increased significantly more than respondents who only received the disaster preparedness training program ($P < 0.05$). The average preparedness of respondents in the group that received the Model Group Supportive therapy and disasterpreparedness training program was 37.65 and the average preparedness of respondents in the group that was only given the disaster preparedness training program was 15.60.

Table 6. Differences in knowledge and attitudes in dealing with disaster respondents after the Intervention Model Group Supportive therapy and disaster preparednesstraining program at SDN West Sumatra in 2021

Variabel	Group	f	Mean	SD	SE	PV
Knowledge	SHG+P	83	15.08	0.736	0.081	
and attitude (Post Test)	Training	83	5.07	1.314	0.144	0.031

Table 6 explains that the preparedness of respondents who received the Group Supportive therapy model and the disaster preparedness training program after the intervention increased significantly more than respondents who only received the disaster preparedness training program ($P < 0.05$). The average preparedness of respondents in the group that received the Model Group Supportive therapy and disasterpreparedness training program was 15.08 and the average preparedness of respondents in the group that was only given the disaster preparedness training program was 5.07.

Table 7. Differences in respondent's response to disasters after the intervention of the Group Supportive therapy model and the disaster preparedness training programat SDN West Sumatra in 2021

Variabel	Kelompok	f	Mean	SD	SE	PV
Action	GST+P	83	7.70	0.487	0.053	
(Post Test)	Training	83	3.96	0.740	0.081	0.015

Table 7 explains that the actions in preparedness of respondents who received the Group Supportive therapy model and the disaster preparedness training program after the intervention increased significantly more than respondents who only received the disaster preparedness training program ($P < 0.05$). The average action in the respondent's readiness in the group that received the Model Group Supportive therapy and disaster preparedness training program was 7.70 and the average respondent's action in the group that was only given the disaster preparedness training program was 3.96

Table 8. Differences in the disaster warning system in dealing with respondent disasters after the intervention of the Group Supportive therapy model and the disaster preparedness training program at SDN West Sumatra in 2021

Variabel	Group	f	Mean	SD	SE	PV
Disaster Warning	GST+P	83	4.46	0.501	0.055	
System (Post Test)	Training	83	1.95	0.582	0.064	0.010

Table 8 explains that the Disaster Warning System in dealing with disasters, respondents who received the Group Supportive therapy model and the disaster preparedness training program after the intervention increased significantly more than respondents who only received the disaster preparedness training program ($P < 0.05$). The average disaster

warning system for respondents in the group that received the Model Group Supportive therapy and disaster preparedness training program was 4.46 with a standard deviation of 0.501 and the average preparedness of respondents in the group that was only given the disaster preparedness training program was 1.95 with a standard deviation of 0.582.

Table 9. Differences in Disaster Response Policy Guidelines and plans for responding to respondent disasters after the intervention of the Group Supportive therapy model and disaster preparedness training program at SDN West Sumatra in 2021

Variabel	Group	f	Mean	SD	SE	PV
Policy Guidance And	GST+P	83	4.73	0.444	0.049	0.000
Disaster Response Plan (Post Test)	Training	83	2.39	0.581	0.064	

Table 9 explains that the Guidance Policy and Disaster Response plan of respondents who received the Group Supportive therapy model and the disaster preparedness training program after the intervention increased significantly more than respondents who only received the disaster preparedness training program ($P < 0.05$). The average of the Guide Policies and Disaster Response plans of respondents in the group that received the Model Group Supportive therapy and disaster preparedness training program was 4.73 and the average Disaster Response Plan and Guide Policies of respondents in the group that was only given the disaster preparedness training program was 2.39.

Table 10. Differences in resource mobilization in dealing with respondent disasters after the intervention of the Group Supportive therapy model and disaster preparedness training program in West Sumatra in 2021

Variabel	Group	f	Mean	SD	SE	PV
Resource	GST+P	83	5.67	0.497	0.055	0,000
Mobilization in preparedness (Post Test)	Training	83	2.04	0.454	0.050	

Table 10 explains that the resource mobilization of respondents who received the Group Supportive therapy model and the disaster preparedness training program after the intervention increased significantly more than respondents who only received the disaster preparedness training program ($P < 0.05$). The average resource mobilization of respondents in the group who received the Model Group Supportive therapy and disaster preparedness training program was 5.57 and the average resource mobilization of respondents in the group that was only given the disaster preparedness training program was 2.04

Table 11. Effectiveness of Group Supportive therapy and disaster preparedness training programs in school preparedness for disasters at SDNS Sumatra Barat in 2021

Group	Disaster Preparedness	N	Mean	Efektifitasnya Model
GST+P	Before	83	14,04	62,71%

The effectiveness of the Model Group Supportive therapy and disaster preparedness training program on school preparedness against the potential for the Padang and Pariaman

City Earthquake and Tsunami before and after receiving the intervention was 62.71%

Discussion

The results of the analysis showed that the preparedness of elementary school students who followed the Model Group Supportive therapy and disaster preparedness training program increased significantly (P value < 0.05). The preparedness of elementary school students who only participated in the disaster preparedness training program also increased significantly (P value < 0.05).

The readiness of elementary school students who took part in the Model Group Supportive therapy and disaster preparedness training program was seen to be higher than that of elementary school students who only participated in the disaster preparedness training program. There was an increase in the preparedness of elementary school students by 62.71% after being given Model Group Supportive therapy and disaster preparedness training which was carried out at SDN Pariaman City and Padang Pariaman District. Preparedness of school structures for disasters is a series of preparations, actions and activities carried out in individual, group and community settings in dealing with and anticipating every disaster threat that threatens survival through planned, effective and efficient organizational efforts. (Sugaya, Shirasaka, Takahashi, & Kanda, 2019)

Preparedness to face a disaster is an important factor that is of concern considering that preparedness is a determining factor for disaster risk reduction that can be carried out and pursued from an early age (LIPI-UNESCO, 2006). (Gogot Suharwoto, Nurwin, 2015). The results of the study (Momeni, 2020) the importance of implementing disaster mitigation education in schools need to be carried out early, in order to provide deepening of knowledge and readiness for actions that need to be taken before/when an unexpected natural disaster occurs to minimize any impacts that will occur. Thus, it can lead to the ability to think and act effectively in the event of a disaster. (Wisnu Widjaja Medi Herlianto, 2017).

In addition, social cohesion, supportive groups, mutual assistance, and mutual trust are the adhesive values of social capital that greatly help individuals, families, groups and communities to strengthen each other in preparing, responding, and rising from adversity due to disasters. (Alhadi & Sasmita, 2014). Addition to disaster education and training, this preparedness can be strengthened through: Group Supportive therapy is a group or peer where each member shares both physical and emotional problems or certain issues (Stuard and Larai, 2018). (Akbar, Hapsari, & Tola, 2017). (Johan, Mayub, & Wardana, 2021) (Adiyoso, 2013).

Disaster education and training activities in schools are an effective, dynamic, and sustainable strategy in an effort to disseminate disaster education with the method of providing mutual reinforcement in groups other than through disaster education and training (Ernawati, Dirdjo, & Wahyuni, 2021). This preparedness can be strengthened through Group Supportive therapy. Group Supportive therapy is a group or peer where each member shares both physical and emotional problems or certain issues (Stuard and Larai, 2018). In this study, the Group Supportive therapy model and disaster preparedness training carried out for elementary school students is a therapy with group techniques and processes whose basic implementation can create a therapeutic relationship between the therapist and students so that it is useful for increasing strength, coping skills.

According to Stuard (2010) the implementation of the Model Group Supportive therapy and disaster preparedness training must pay attention to the principle that students in this case students play an active role with two-way communication. Each student plays an active role in sharing knowledge and hopes for solving problems and finding solutions through groups. Each member of the group must express his thoughts and feelings. The results of the

research that has been carried out above and supported by the results of previous studies prove the hypothesis that there is a significant difference in increasing teacher preparedness in dealing with potential earthquakes and tsunamis through the implementation of the Model Group Supportive therapy and disaster preparedness training carried out regularly. guided. Increased preparedness of students in schools against potential earthquake and tsunami disasters through Model Group Supportive therapy and disaster preparedness training because the information provided is well communicated, clear contracts and provides positive reinforcement. Furthermore, students are trained to practice new ways that are taught and trained to do it every day (M. Twenge, H. Spitzberg, & Keith, 2019). Through the development of the Model Group Supportive therapy model and disaster preparedness training that is trained to students as an effort to increase preparedness for the potential for earthquake and tsunami disasters in the school community, it is necessary to evaluate and monitor its implementation.

Conclusions And Suggestions

There is a significant difference in the average increase in preparedness to face the potential for earthquake and tsunami disasters in elementary school students before and after being given the Group Supportive therapy model and disaster preparedness training with groups receiving only disaster preparedness training. In the group of elementary school students who were given the Group Supportive therapy model and disaster preparedness training, there was an increase in preparedness to face the potential for earthquake and tsunami disasters of 23,614. In the group that only received disaster training, there was an increase in preparedness of 1,398. Elementary school students who received the Model Group Supportive therapy and disaster preparedness training program after the intervention increased their preparedness for the potential for earthquake and tsunami disasters significantly compared to elementary school students who only received the disaster preparedness training program. . The Group Supportive therapy model and the disaster preparedness training program are effective in increasing school preparedness against the potential for the Padang and Pariaman City Earthquake and Tsunami before and after receiving the intervention, which is 62.71%.

Based on the results of the study, it is suggested that the Model Group Supportive therapy and disaster preparedness training program given to elementary school students can improve school preparedness against the potential for earthquake and tsunami disasters, so that this therapy can be applied in various school settings. Group Supportive therapy model and disaster preparedness training program, in order to be able to apply it to groups of school-age children, teachers and families guided by the Group Supportive therapy model and existing disaster preparedness training programs. Through the Principals in Pariaman City, Padang Pariaman Regency and Padang City provide tools to support the implementation of the Group Supportive therapy model and disaster preparedness training program and the room where it is carried out.

References

- Adiyoso, W. (2013). Efektifitas Dampak Penerapan Pendidikan Kebencanaan di Sekolah terhadap Kesiapsiagaan Siswa Menghadapi Bencana Tsunami di Aceh, Indonesia.
- Akbar, Z., Hapsari, I. I., & Tola, B. (2017). Community Resillience Pada Penyintas Bencana Alam Di Provinsi Yogyakarta. *Analitika*, 9(2), 76. <https://doi.org/10.31289/analitika.v9i2.1145>
- Albrecht, G. L., & Mullner, R. M. (2016). World Health Organization. *Encyclopedia of Disability*, (24), 1–5.

- Amri, A., Bird, D. K., Ronan, K., Haynes, K., & Towers, B. (2017). Disaster risk reduction education in Indonesia: Challenges and recommendations for scaling up. *Natural Hazards and Earth System Sciences*, 17(4). <https://doi.org/10.5194/nhess-17-595-2017>
- Aprilin, H., Haksama, S., & Makhludi. (2018). Kesiapsiagaan Sekolah Terhadap Potensi Bencana Banjir Di SDN Gerbangmalang Kecamatan Mojoanyar Kabupaten Mojokerto. *Jurnal Biosains Pascasarjana*, Vol. 20(2).
- Arikunto. (2013). Panduan Mengukur Tingkat Kesiapsiagaan Masyarakat dan Komunitas Sekolah, (January 2011), 53.
- BNPB. (2018). Panduan Kesiapsiagaan Bencana Untuk Keluarga, 1–64.
- Ernawati, R., Dirdjo, M. M., & Wahyuni, M. (2021). Peningkatan Pengetahuan Siswa Terhadap Mitigasi Bencana di SD Muhammadiyah 4 Samarinda. *Journal of Community Engagement in ...*, 4(2), 393–399. Retrieved from <https://jceh.org/index.php/JCEH/article/view/258>
- Federation, H. (2010). Capped: Practical Interventions To Help Children Affected By Trauma, 1-32
- Gogot Suharwoto, Nurwin, D. (2015). Modul Manajemen Bencana Di Sekolah.
- Herdiana, I. (2019). Resiliensi Keluarga : Teori, Aplikasi Dan Riset. *PSIKOSAINS (Jurnal Penelitian Dan Pemikiran Psikologi)*, 14(1), 1. <https://doi.org/10.30587/psikosains.v14i1.889>
- Hoffmann, R., & Muttarak, R. (2017). Learn from the Past, Prepare for the Future: Impacts of Education and Experience on Disaster Preparedness in the Philippines and Thailand. *World Development*, 96. <https://doi.org/10.1016/j.worlddev.2017.02.016>
- Johan, H., Mayub, A., & Wardana, R. W. (2021). Integrasi Pendidikan Mitigasi Dalam Konten Pembelajaran Sains Sebagai Upaya Membangun Kesadaran Mitigasi Dari Jenjang Sekolah. *Dharma Raflesia : Jurnal Ilmiah Pengembangan Dan Penerapan IPTEKS*, 19(1), 186–196. <https://doi.org/10.33369/dr.v19i1.13790>
- Keliat, BA, dkk. (2011). *Manajemen Keperawatan Psikososial dan Kader Kesehatan CMHN (Intermediate Course)*. Jakarta: EGC.
- M.Twenge, J., H. Spitzberg, B., & Keith. (2019). Less in-Person social interaction with peers among U.S adolescents in the 21st century an links to loneliness. <https://doi.org/https://doi.org/10.1177/0265407519836170>
- Momeni, M. (2020). PENTINGNYA PENERAPAN PENDIDIKAN MITIGASI BENCANA DI SEKOLAH UNTUK MENGETAHUI KESIAPSIAGAAN PESERTA DIDIK, 21(1), 1–9.
- Nurcahyani, F., & Dewi, E. I. (2016). Pengaruh Terapi Suportif Kelompok terhadap Kecemasan pada Klien Pasca Bencana Banjir Bandang di Perumahan Relokasi Desa Suci Kecamatan Panti Kabupaten Jember (The Effect of Supportive Group Therapy toward the Client ' s Anxiety after Flash Flood Disaster. *E-Jurnal Pustaka Kesehatan*, 4(2), 293–299. Retrieved from <http://jurnal.unej.ac.id/index.php/JPK/article/download/3205/2550>.
- Nuryanto, Dadang, I. S. Kajian Pembangunan Sosial Budaya: Kearifan Lokal Rumah Panggung Arsitektur Sunda sebagai Model Desain Rumah Ramah Banjir di Jawa Barat (2017).
- Purnama, S. G. (2017). Modul manajemen bencana, 1–89.
- Rohmin, M. F. T., Mahasri, G., & Rantam, F. A. (2017). Jurnal Biosains Pascasarjana Vol. 19 (2017) pp © (2017) Sekolah Pascasarjana Universitas Airlangga, Indonesia. *Jurnal Biosains Pascasarjana*, 19(2).
- Stafford, B., Schonfeld, D., Keselman, L., Ventevogel, P., & Stewart, C. L. (2019). The

- Emotional Impact of Disaster on Children and Families. *Pediatric Education on Disasters Manual*, 43.
- Stuart, G. W. (2013). *Principles and Practice of Psychiatric Nursing* (10th ed). Philadelphia: Elsevier Mosby.
- Sugaya, N., Shirasaka, T., Takahashi, K., & Kanda, H. (2019). Bio-Psychosocial Factors of Children and adolescents with internet gaming disorder: a systematic review.
- Triyono Putri, R. B., & Koswara, Asep Aditya, V. (2013). Panduan Penerapan Sekolah Siaga Bencana, (January 2013), 82.
- Tuti Budirahayu. (2019). Kajian Sosiologis tentang Kebencanaan Kaitannya dengan Penguatan dan Ketahanan Keluarga dalam Menghadapi Bencana Alam. *Talenta Conference Series: Local Wisdom, Social, and Arts (LWSA)*. <https://doi.org/10.32734/lwsa.v2i1.641>
- Videbeck, S. L. (2008). *Psychiatric Mental Health Nursing* (3rd ed.). Philadelphia: Lippincott. Williams & Wilkins.
- Wisnu Widjaja Medi Herlianto. (2017). *Buku Pedoman Latihan Kesiapsiagaan Bencana. Membangun Kesadaran kewaspadaan dan kesiapsiagaan dalam Menghadapi bencana*. (N. Kumalasari, Ed.) (Edisi Ceta). Jakarta: Badan Nasional Penanggulangan Bencana.
- Yates, T. M., Tyrell, F. A., & Masten, A. S. (2015). Resilience Theory and the Practice of Positive Psychology From Individuals to Societies. *Positive Psychology in Practice: Promoting Human Flourishing in Work, Health, Education, and Everyday Life: Second Edition*, (Id 0951775), 773–788. <https://doi.org/10.1002/9781118996874.ch44>